

User manuals

NucleoSpin® Plasmid

740588.10/.50/.250



NucleoSpin[®] Plasmid (NoLid)

740499.10/.50/.250

Dear valued customer,

Thank you for choosing MACHEREY-NAGEL for your application. We have attached a short protocol for your review.

To obtain the best results we recommend to follow the detailed protocol available online, especially when you are a first time user of this kit.

All important links to the above mentioned products are listed in this leaflet.

Important information regarding product components, specifications, safety instructions, and processing protocols, can all be found on the product website and accessed easily via the QR code.

QR-Code product website



qr.mn-net.com/qr/(241)740588

Use the following QR code or the link below for direct access to the user manual.

QR-Code user manual



qr.mn-net.com/qr/(IFU)740588

It is strongly recommended to read the detailed protocol section of the user manual if using the kit for the first time. However, experienced users may refer to the protocol at a glance. The protocol at a glance is designed to be used only as a supplemental tool for quick reference while performing the purification procedure.

We are constantly improving our products and we reserve the right to make changes or additions to protocols. Please check for updated revisions for previously downloaded manuals.

This leaflet does not replace the full manual!



Protocol at a glance (Rev. 14)

Plasmid DNA purification

	NucleoSpin [®]	NucleoSpin [®] Plasmid	
1 Cultivate and harvest	Plasmid	(NoLid)	
bacterial cells			11,000 × <i>g</i> , 30 s
2 Cell lysis			250 μL Buffer A1
2 Och lysis			250 µL Buffer A2
			RT, up to 5 min
	V	V	300 μL Buffer A3
3 Clarification of the lysate			11,000 × <i>g</i> ,
	V	V	5 – 10 min
4 Bind DNA			
			Load supernatant
			11,000 × <i>g</i> , 1 min
5 Wash silica membrane			(Optional: 500 μL Buffer AW: RT or 50 °C)
			600 μL Buffer A4
	8	8	$11,000 \times g,$ 1 min
6 Dry silica			1 1111111
membrane			
	E '		11,000 × <i>g</i> , 2 min
7 Elute DNA			
			50 μL Buffer AE RT, 1 min
			$11,000 \times g$
	Ŭ ⊘ ⊳	Ŭ ⇒ ⊳	1 min



QR-Code Safety Data Sheet

Please find a digital version of the safety data sheets by following the link below:



www.mn-net.com/sds



We strongly recommend to carefully read the detailed protocol section of the product's user manual. If you have any questions about the protocol or product, please contact

our Technical Support.

Contact MN

Germany and international

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 · 52355 Düren · Germany

Tel.: +49 24 21 969-0

Toll-free: 0800 26 16 000 (Germany only)

E-mail: info@mn-net.com Technical support Bioanalysis

Tel.: +49 24 21 969-333 E-mail: support@mn-net.com

USA

MACHEREY-NAGEL Inc.

924 Marcon Blvd. · Suite 102 · Allentown PA, 18109 · USA

Toll-free: 888 321 6224 (MACH) E-mail: sales-us@mn-net.com

France

MACHEREY-NAGEL SAS

1, rue Gutenberg – BP135 \cdot 67720 Hoerdt Cedex \cdot France

Tel.: +33 388 68 22 68 E-mail: sales-fr@mn-net.com

MACHEREY-NAGEL SAS (Société par Actions Simplifiée) au capital de

186600 €

Siret 379 859 531 00020 · RCS Strasbourg B379859531

N° intracommunautaire FR04 379 859 531

Switzerland

MACHEREY-NAGEL AG

Hirsackerstr. 7 \cdot 4702 Oensingen \cdot Switzerland

Tel.: +41 62 388 55 00 E-mail: sales-ch@mn-net.com

